

Prof. Dr. Alfred Toth

Adjazente Arithmetik von Restaurantintérieurs

1. Das vollständige System der adjazenten Zählweise ist für 2-elementige Mengen (vgl. Toth 2015)

x_i	y_j		y_i	x_j		y_j	x_i		x_j	y_i
$\emptyset_i$	$\emptyset_j$		$\emptyset_i$	$\emptyset_j$		$\emptyset_j$	$\emptyset_i$		$\emptyset_j$	$\emptyset_i$
		$\times$			$\times$			$\times$		
$\emptyset_i$	$\emptyset_j$		$\emptyset_i$	$\emptyset_j$		$\emptyset_j$	$\emptyset_i$		$\emptyset_j$	$\emptyset_i$
x_i	y_j		y_i	x_j		y_j	x_i		x_j	y_i

Im folgenden werden ontische Modelle anhand von Restaurantintérieurs beigebracht.

2.1. Horizontale Adjazenz

2.1.1. LR- Adjazenz



Rest. Les Volcans, 105 Rue du Faubourg Poissonnière, 75009 Paris

2.1.2. RL- Adjazenz



Rest. Les Volcans, 105 Rue du Faubourg Poissonnière, 75009 Paris

2.2. Vertikale Adjazenz

2.2.1. O- Adjazenz



Rest. Le Relais Louis XIII, 8 Rue des Grands Augustins, 75006 Paris

2.2.2. U- Adjazenz



Rest. Le Relais Louis XIII, 8 Rue des Grands Augustins, 75006 Paris

Literatur

Toth, Alfred, Zur Arithmetik der Relationalzahlen I-II. In: Electronic Journal for Mathematical Semiotics, 2015

31.7.2015